DAFTAR PUSTAKA

[1] Badan Pusat Statistik, “Statistik Kelapa Sawit Indonesia 2014.”

[2] Y. M. Sani, W. M. A. W. Daud, and A. R. A. Aziz, “Biodiesel Feedstock and Production Technologies : Successes , Challenges and Prospects,” 2013.

[3] Badan Pusat Statistik, “No Title,” *Statistik Kelapa Sawit Indonesia 2018*, 2019. [Online]. Available: https://www.bps.go.id/publication/2019/11/22/1bc09b8c5de4dc77387c2a4b/statistik-kelapa-sawit-indonesia-2018.html.

[4] Y. B. Che Man, T. Haryati, H. M. Ghazali, and B. A. Asbi, “Composition and Thermal Profile of Crude Palm Oil and Its Products,” *JAOCS, J. Am. Oil Chem. Soc.*, vol. 76, no. 2, pp. 237–242, 1999, doi: 10.1007/s11746-999-0224-y.

[5] E. Lotero, Y. Liu, D. E. Lopez, K. Suwannakarn, D. A. Bruce, and J. G. Goodwin, “Synthesis of Biodiesel via Acid Catalysis,” pp. 5353–5363, 2005, doi: 10.1021/ie049157g.

[6] D. I. Jordanov, Y. K. Dimitrov, P. S. T. Petkov, and S. K. Ivanov, “Biodiesel production by sunflower oil transesterification,” *Oxid. Commun.*, vol. 30, no. 2, pp. 300–305, 2007.

[7] M. Di Serio, R. Tesser, L. Casale, A. D’Angelo, M. Trifuoggi, and E. Santacesaria, “Heterogeneous catalysis in biodiesel production: The influence of leaching,” *Top. Catal.*, vol. 53, no. 11–12, pp. 811–819, 2010, doi: 10.1007/s11244-010-9467-y.

[8] Badan Pusat Statistik, “No Title,” *Ringkasan Eksekutif Luas Panen dan Produksi Beras di Inonesia 2018*, 2018. [Online]. Available: https://www.bps.go.id/publication/2018/12/21/7faa198f77150c12c31df395/ringkasan-eksekutif-luas-panen-dan-produksi-beras-di-indonesia-2018.html.

[9] R. K. Vempati, S. C. Musthyala, M. Y. A. Mollah, and D. L. Cocke, “Surface analyses of pyrolysed rice husk using scanning force microscopy,” *Fuel*, vol. 74, no. 11, pp. 1722–1725, 1995, doi: 10.1016/0016-2361(94)00119-C.

[10] R. Rosalia, D. Asmi, and E. Ginting, “Preparasi dan Karakterisasi Keramik

Silika (SiO 2) Sekam Padi dengan Suhu Kasinasi 800 o C o C - PDF Download Gratis.pdf," *J. Teoro dan Apl. Fis.*, vol. 04, no. 01, pp. 101–106, 2016.

[11] M. N. Salman, D. Krisdiyanto, K. Khamidinal, and P. Arsanti, "Preparasi Katalis Silika Sulfat Dari Abu Sekam Padi Dan Uji Katalitik Pada Reaksi Esterifikasi Gliserol Dengan Anhidrida Asam Asetat," *Reaktor*, vol. 15, no. 4, pp. 231–240, 2015, doi: 10.14710/reaktor.15.4.231-240.

[12] F. Ma and M. A. Hanna, "Biodiesel production: a review1Journal Series #12109, Agricultural Research Division, Institute of Agriculture and Natural Resources, University of Nebraska–Lincoln.1," *Bioresour. Technol.*, vol. 70, no. 1, pp. 1–15, 1999, doi: https://doi.org/10.1016/S0960-8524(99)00025-5.

[13] A. Demirbas, "Biodiesel production from vegetable oils via catalytic and non-catalytic supercritical methanol transesterification methods," *Prog. Energy Combust. Sci.*, vol. 31, no. 5, pp. 466–487, 2005, doi: https://doi.org/10.1016/j.pecs.2005.09.001.

[14] S. Divakara, D. Sahu, K. Ravi, and B. Sudesh, "Performance and Emission Characteristics of Pongamia Oil-Kerosene Blend Used in Commercial Kerosene Stove," vol. 5, pp. 19–27, 2015, doi: 10.5923/c.ep.201501.05.

[15] P. Adewale, M.-J. Dumont, and M. Ngadi, "Recent trends of biodiesel production from animal fat wastes and associated production techniques," *Renew. Sustain. Energy Rev.*, vol. 45, pp. 574–588, 2015, doi: 10.1016/j.rser.2015.02.039.

[16] A. E. Atabani, A. S. Silitonga, I. A. Badruddin, T. M. I. Mahlia, H. H. Masjuki, and S. Mekhilef, "A comprehensive review on biodiesel as an alternative energy resource and its characteristics," *Renew. Sustain. Energy Rev.*, vol. 16, no. 4, pp. 2070–2093, 2012, doi: https://doi.org/10.1016/j.rser.2012.01.003.

[17] M. R. Avhad and J. Marchetti, "A review on recent advancement in catalytic materials for biodiesel production," *Renew. Sustain. Energy Rev.*, vol. 50, 2015, doi: 10.1016/j.rser.2015.05.038.

[18] M. G. Kulkarni, R. Gopinath, L. C. Meher, and A. K. Dalai, "Solid acid catalyzed biodiesel production by simultaneous esterification and

transesterification," *Green Chem.*, vol. 8, no. 12, pp. 1056–1062, 2006, doi: 10.1039/B605713F.

[19] G. Antolín, F. V Tinaut, Y. Briceño, V. Castaño, C. Pérez, and A. I. Ramírez, "Optimisation of biodiesel production by sunflower oil transesterification.," *Bioresour. Technol.*, vol. 83, no. 2, pp. 111–114, Jun. 2002, doi: 10.1016/s0960-8524(01)00200-0.

[20] P. Adewale, M. J. Dumont, and M. Ngadi, "Recent trends of biodiesel production from animal fat wastes and associated production techniques," *Renew. Sustain. Energy Rev.*, vol. 45, pp. 574–588, 2015, doi: 10.1016/j.rser.2015.02.039.

[21] E. A. Duran, R. Tinoco, A. Pérez, R. Berrones, D. Eapen, and P. J. Sebastián, "A Conparative Study of Biodiesel Purification with Magnesium Silicate and Water," *J. New Mater. Electrochem. Syst.*, vol. 17, no. 2, pp. 105–111, Apr. 2014, doi: 10.14447/jnmes.v17i2.431.

[22] K. Shahzad *et al.*, "Biodiesel production potential from fat fraction of municipal waste in Makkah," *PLoS One*, vol. 12, no. 2, p. e0171297, Feb. 2017, doi: 10.1371/journal.pone.0171297.

[23] N. Voća, T. Krička, V. Janušić, Ž. Jukić, A. Matin, and D. Kiš, "Fuel properties of biodiesel produced from different raw materials in Croatia," *Strojniški Vestn. - J. Mech. Eng.*, vol. 54, no. 3, pp. 232–244, 2008.

[24] O. S. Stamenković, Z. B. Todorović, M. L. Lazić, V. B. Veljković, and D. U. Skala, "Kinetics of sunflower oil methanolysis at low temperatures," *Bioresour. Technol.*, vol. 99, no. 5, pp. 1131–1140, Mar. 2008, doi: 10.1016/j.biortech.2007.02.028.

[25] F. H. Alhassan *et al.*, "Production of biodiesel from mixed waste vegetable oils using Ferric hydrogen sulphate as an effective reusable heterogeneous solid acid catalyst," *Appl. Catal. A Gen.*, vol. 456, pp. 182–187, Apr. 2013, doi: 10.1016/j.apcata.2013.02.019.

[26] E. Ondul, N. Dizge, B. Keskinler, and N. Albayrak, "Biocatalytic Production of Biodiesel from Vegetable Oils," in *Biofuels - Status and Perspective*, InTech, 2015.

[27] S. V. Ranganathan, S. L. Narasimhan, and K. Muthukumar, "An overview

of enzymatic production of biodiesel," *Bioresour. Technol.*, vol. 99, no. 10, pp. 3975–3981, Jul. 2008, doi: 10.1016/j.biortech.2007.04.060.

[28] M. XIAO, S. MATHEW, and J. P. OBBARD, "Biodiesel fuel production via transesterification of oils using lipase biocatalyst," *GCB Bioenergy*, vol. 1, no. 2, pp. 115–125, Apr. 2009, doi: 10.1111/j.1757-1707.2009.01009.x.

[29] J. Yan, X. Zheng, and S. Li, "A novel and robust recombinant Pichia pastoris yeast whole cell biocatalyst with intracellular overexpression of a Thermomyces lanuginosus lipase: Preparation, characterization and application in biodiesel production," *Bioresour. Technol.*, vol. 151, pp. 43–48, 2014, doi: https://doi.org/10.1016/j.biortech.2013.10.037.

[30] S. Ycel, P. Terziolu, and D. Zime, "Lipase Applications in Biodiesel Production," in *Biodiesel - Feedstocks, Production and Applications*, InTech, 2012.

[31] D. Goud, R. Gupta, R. Maligal-Ganesh, and S. C. Peter, "Review of Catalyst Design and Mechanistic Studies for the Production of Olefins from Anthropogenic CO 2," *ACS Catal.*, vol. 10, no. 23, pp. 14258–14282, Dec. 2020, doi: 10.1021/acscatal.0c03799.

[32] E. Lotero *et al.*, "Composition and Thermal Profile of Crude Palm Oil and Its Products," *JAOCS, J. Am. Oil Chem. Soc.*, vol. 76, no. 2, pp. 237–242, 1999, doi: 10.1007/s11746-999-0224-y.

[33] E. Young and A. Inengite, "Characterization of Raw, Semi-processed and Completely Processed Palm Oils," *Br. J. Appl. Sci. Technol.*, vol. 6, no. 6, pp. 613–620, Jan. 2015, doi: 10.9734/BJAST/2015/14691.

[34] C. . Prasad, K. . Maiti, and R. Venugopal, "Effect of rice husk ash in whiteware compositions," *Ceram. Int.*, vol. 27, no. 6, pp. 629–635, Jan. 2001, doi: 10.1016/S0272-8842(01)00010-4.

[35] R. V. Krishnarao, J. Subrahmanyam, and T. Jagadish Kumar, "Studies on the formation of black particles in rice husk silica ash," *J. Eur. Ceram. Soc.*, vol. 21, no. 1, pp. 99–104, Jan. 2001, doi: 10.1016/S0955-2219(00)00170-9.

[36] M. Di Serio, M. Cozzolino, M. Giordano, R. Tesser, P. Patrono, and E. Santacesaria, "From Homogeneous to Heterogeneous Catalysts in Biodiesel Production," *Ind. Eng. Chem. Res.*, vol. 46, no. 20, pp. 6379–6384, Sep.

2007, doi: 10.1021/ie070663q.

[37] M. S. Ismail and A. M. Waliuddin, “Effect of rice husk ash on high strength concrete,” *Constr. Build. Mater.*, vol. 10, no. 7, pp. 521–526, Oct. 1996, doi: 10.1016/0950-0618(96)00010-4.

[38] D. Prasetyoko, N. Ayunanda, H. Fansuri, D. Hartanto, and Z. Ramli, “Phase transformation of rice husk ash in the synthesis of ZSM-5 without organic template,” *ITB J. Sci.*, vol. 44 A, no. 3, pp. 250–262, 2012, doi: 10.5614/itbj.sci.2012.44.3.5.

[39] R. Fuadi, S. Sumarni, and S. Katiman, “ANALISIS PENGARUH JERAMI PADI SEBAGAI BAHAN PENGISI BATAKO DENGAN PEREKAT LEM KAYU JENIS PVAC DITINJAU DARI BERAT ISI, KUAT TEKAN DAN DAYA SERAP AIR,” *Indones. J. Civ. Eng. Educ.*, vol. 4, no. 2, Feb. 2019, doi: 10.20961/ijcee.v4i2.27772.

[40] N. Thuadaij and A. Nuntiya, “Preparation of Nanosilica Powder from Rice Husk Ash by Precipitation Method,” *Chiang Mai J. Sci.*, vol. 35, 2008.

[41] T.-H. Liou, “Preparation and characterization of nano-structured silica from rice husk,” *Mater. Sci. Eng. A*, vol. 364, no. 1–2, pp. 313–323, Jan. 2004, doi: 10.1016/j.msea.2003.08.045.

[42] X. G. Chen, S. S. Lv, Y. Ye, J. P. Cheng, and S. H. Yin, “Preparation and characterization of rice husk/ferrite composites,” *Chinese Chem. Lett.*, vol. 21, no. 1, pp. 122–126, Jan. 2010, doi: 10.1016/j.cclet.2009.08.003.

[43] I. A. Rahman and V. Padavettan, “Synthesis of Silica Nanoparticles by Sol-Gel: Size-Dependent Properties, Surface Modification, and Applications in Silica-Polymer Nanocomposites—A Review,” *J. Nanomater.*, vol. 2012, pp. 1–15, 2012, doi: 10.1155/2012/132424.

[44] Z. Raheem, *Sol-Gel Science The Physics and Chemistry of Sol-Gel Processing*. 2019.

[45] F. Heshmatpuor, H. Adelkhani, and M. Jangholi, “Studying of optical and morphological properties of SiO2–MOx (M: Co/Cu) glasses prepared by the sol–gel method,” *J. Non. Cryst. Solids*, vol. 357, no. 5, pp. 1409–1413, 2011, doi: https://doi.org/10.1016/j.jnoncrysol.2010.11.018.

[46] E. I. Seck, J. M. Doña-Rodríguez, C. Fernández-Rodríguez, O. M. González-

Díaz, J. Araña, and J. Pérez-Peña, “Photocatalytic removal of 2,4-dichlorophenoxyacetic acid by using sol–gel synthesized nanocrystalline and commercial TiO2: Operational parameters optimization and toxicity studies,” *Appl. Catal. B Environ.*, vol. 125, pp. 28–34, 2012, doi: https://doi.org/10.1016/j.apcatb.2012.05.028.

[47] S. Wuttke, S. M. Coman, J. Kröhnert, F. C. Jentoft, and E. Kemnitz, “Sol–gel prepared nanoscopic metal fluorides – a new class of tunable acid–base catalysts,” *Catal. Today*, vol. 152, no. 1, pp. 2–10, 2010, doi: https://doi.org/10.1016/j.cattod.2009.10.008.

[48] C. Perego and P. Villa, “Catalyst preparation methods,” *Catal. Today*, vol. 34, no. 3–4, pp. 281–305, Feb. 1997, doi: 10.1016/S0920-5861(96)00055-7.

[49] B. Abu-Jdayil, M. A. Al-Nakoua, M. H. El-Naas, and A. Khaleel, “Rheological characteristics of nickel–alumina sol–gel catalyst,” *Fuel Process. Technol.*, vol. 102, pp. 85–89, Oct. 2012, doi: 10.1016/j.fuproc.2012.04.025.

[50] J. Araña *et al.*, “Photocatalytic degradation of phenolic compounds with new TiO2 catalysts,” *Appl. Catal. B Environ.*, vol. 100, no. 1–2, pp. 346–354, Oct. 2010, doi: 10.1016/j.apcatb.2010.08.011.

[51] R. D. Rieke, D. S. Thakur, B. D. Roberts, and G. T. White, “Fatty methyl ester hydrogenation to fatty alcohol part I: Correlation between catalyst properties and activity/selectivity,” *J. Am. Oil Chem. Soc.*, vol. 74, no. 4, pp. 333–339, Apr. 1997, doi: 10.1007/s11746-997-0088-y.

[52] Z. Helwani, M. R. Othman, N. Aziz, J. Kim, and W. J. N. Fernando, “Solid heterogeneous catalysts for transesterification of triglycerides with methanol: A review,” *Appl. Catal. A Gen.*, vol. 363, no. 1–2, pp. 1–10, Jul. 2009, doi: 10.1016/j.apcata.2009.05.021.

[53] L. Li and J. Shi, “A Highly Active and Reusable Heterogeneous Ruthenium Catalyst for Olefin Metathesis,” *Adv. Synth. Catal.*, vol. 347, no. 14, pp. 1745–1749, Nov. 2005, doi: 10.1002/adsc.200505066.

[54] G. Ertl, H. Knözinger, and J. Weitkamp, Eds., *Handbook of Heterogeneous Catalysis*. Wiley, 1997.

[55] G. Agrawal, N. S. Kaisare, S. Pushpavanam, and K. Ramanathan, “Modeling

the effect of flow mal-distribution on the performance of a catalytic converter," *Chem. Eng. Sci.*, vol. 71, pp. 310–320, Mar. 2012, doi: 10.1016/j.ces.2011.12.041.

[56] K. K. Sharma, A. V. Biradar, and T. Asefa, "Substituent- and Catalyst-Dependent Selectivity to Aldol or Nitrostyrene Products in a Heterogeneous Base-Catalyzed Henry Reaction," *ChemCatChem*, vol. 2, no. 1, pp. 61–66, Jan. 2010, doi: 10.1002/cctc.200900259.

[57] N. A. L. Arief Budiman, Ratna Dewi Kusumaningtyas, Yano Surya Pradana, *Biodiesel: Bahan Baku, Proses, dan Teknologi*. 2014.

[58] *Modern Physical Metallurgy and Materials Engineering*. Elsevier, 1999.

[59] S. A. Speakman, "Basics of X-Ray Powder Diffraction," in *Assistance in X-Ray Lab. Massachusetts Institute of Technology*.

[60] A. B. D. Nandiyanto, R. Oktiani, and R. Ragadhita, "How to read and interpret ftir spectroscope of organic material," *Indones. J. Sci. Technol.*, vol. 4, no. 1, pp. 97–118, 2019, doi: 10.17509/ijost.v4i1.15806.

[61] J. Coates, *Interpretation of Infrared Spectra: A Practical Approach*, Meyers, R. 2000.

[62] R. Kurniawan, M. Luthfi, and W. A. N, "Karakterisasi Luas Permukaan Bet (Braunanear , Emmelt dan Teller) Karbon Aktif dari Tempurung Kelapa dan Tandan Kosong Kelapa Sawit dengan Aktivasi Asam Fosfat," *J. Keteknikan Pertan. Trop. dan Biosist.*, vol. 2, no. 1, pp. 15–20, 2014.

[63] M. Abdullah and K. Khairurrijal, "Review: Karakterisasi Nanomaterial," *J. Nano Saintek*, vol. 2, no. 1, pp. 1–9, 2009.

[64] R. V. Krishnarao and M. M. Godkhindi, "Distribution of silica in rice husks and its effect on the formation of silicon carbide," *Ceram. Int.*, vol. 18, no. 4, pp. 243–249, Jan. 1992, doi: 10.1016/0272-8842(92)90102-J.

[65] U. Kalapathy, "A simple method for production of pure silica from rice hull ash," *Bioresour. Technol.*, vol. 73, no. 3, pp. 257–262, Jul. 2000, doi: 10.1016/S0960-8524(99)00127-3.

[66] L. P. Knauth and S. Epstein, "The nature of water in hydrous silica," *Am. Mineral.*, vol. 67, no. 5–6, pp. 510–520, 1982.

[67] M. E. Manríquez, T. López, R. Gomez, M. Picquart, and J. G. Hernández-

Cortez, “Sol–gel silica modified with phosphate and sulfate ions,” *J. Non. Cryst. Solids*, vol. 345–346, pp. 643–646, Oct. 2004, doi: 10.1016/j.jnoncrysol.2004.08.115.